

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0605

2012 Chevrolet Impala Police 4dr Sdn



2012 Chevrolet Impala Police 4dr Sdn Police (1WS19)

CLASS 0605

SEDAN MID-FULLSIZE 4 DOOR UNMARKED PP

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3
Processing-other	3
TECHNICAL SPECIFICATIONS	
Vehicle	4
Powertrain	4
Dimensions	5
Chassis	5
WARRANTY INFORMATION	
Warranty Information	8

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
1WS19	2012 Chevrolet Impala Police 4dr Sdn Police

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT, (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm) (STD)
MX0	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, (STD)
3FL	PREFERRED EQUIPMENT GROUP
9C3	UNMARKED POLICE PACKAGE
50U	SUMMIT WHITE
—	STANDARD PAINT
AN3	SEAT, FRONT 40/20/40 SPLIT-BENCH WITH CLOTH, (Requires 9C3 Unmarked Police package)
19C	EBONY, CLOTH SEAT TRIM WITH CLOTH REAR BENCH SEAT, (Requires 9C3 Unmarked Police package)
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack (STD)
FHS	E85 FLEXFUEL CAPABLE, (Standard with (FE9) Federal emissions requirements. Available For FBC or FGO order types only and requires YF5 or NE1 emissions.)
RUF	WHEEL, FULL-SIZE SPARE, 17" (43.2 CM) STEEL, (Includes full-size police tire.)
DK2	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BODY-COLOR
VK3	LICENSE PLATE BRACKET, FRONT, (Included on orders with ship-to states that require a front license plate.)
B34	FLOOR MATS, CARPETED FRONT AND REAR, (Not available with (6A3) heavy-duty vinyl floor covering.)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, 3.6L SIDI DOHC V6 VVT (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm)
Transmission, 6-speed automatic, electronically controlled with overdrive
Axle, 2.44 ratio
Front wheel drive
Cooling, auxiliary heavy-duty engine and power steering system
Cooling, auxiliary heavy-duty transmission system
Battery rundown protection
Alternator, 170 amps
Suspension, Heavy-Duty Police
Steering, power, rack-and-pinion
Brakes, heavy-duty 4-wheel antilock, 4-wheel disc
Exhaust, dual-outlet stainless-steel

EXTERIOR

Wheels, 17" (43.2 cm) steel
Tires, P235/55R17, blackwall, W-rated
Wheel, compact spare, 17" (43.2 cm) steel
Moldings, body-color rocker
Headlamps, halogen composite with automatic exterior lamp control
Mirrors, outside power-adjustable, body-color
Glass, Solar-Ray light-tinted
Wipers, front intermittent
Deck lock key cylinder (If (UA6) content theft-deterrent alarm system is ordered, an audible alarm will sound if key is used to open decklid)
Door handles, body-color

ENTERTAINMENT

Audio system, AM/FM stereo with CD player seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack
Audio system feature, 6-speaker system
Antenna, integral rear, AM/FM

INTERIOR

Seats, front bucket (Requires 9C1 Police package)
Cloth seat trim
Seat adjuster, driver manual lumbar control
Seat adjuster, driver 6-way power
Seat adjuster, front passenger 6-way power
Seat, rear fixed bench (Rear bench seat is vinyl when ordered with (19G) trim and cloth when ordered with (19E) trim)
Steering wheel, urethane
Steering column, Tilt-Wheel
Shifter, column
Instrumentation, "certified" analog 4-gauge cluster with speedometer, tachometer, coolant temperature, fuel, trip odometer and message center
Oil life monitoring system
Wiring provisions, headlamp flasher, forward lamp in-line connector with power for flasher, DRL control and flasher on/off control lead to interior compartment
Windows, power with driver Express-Down and passenger lockout
Door locks, power

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Door locks, single key locking system random key code for each vehicle. 1-key operates ignition and all locks.
Remote Keyless Entry
Cruise control, electronic with set and resume speed
Trunk release, remote
Theft-deterrent system, vehicle, PASS-Key III+
Radio Suppression Package
Air conditioning, single-zone manual with air filtration system
Defogger, rear-window electric
Applique, techno metallic on instrument panel and door
Ignition, 100-amp main power supply wiring at instrument panel and trunk
Mirror, inside rearview manual day/night with map lights
Visors, driver and front passenger vanity mirrors, covered
Assist handles, front passenger and rear outboard
Lighting, interior with center-mounted dome and rear reading lights
Cargo mat, trunk
Ground stud, auxiliary, located in trunk

SAFETY

StabiliTrak, stability control system includes Traction Control

Air bags, dual-stage frontal, and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions includes Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the rear side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)

Safety belt pretensioners, front row seats

Door locks, rear child security

Tire Pressure Monitor

PROCESSING-OTHER

Conversion option, unique VIN

Ship Thru to Kerr Industries Ship thru costs included in MSRP to transport vehicle from plant to second stage activity and return to plant.

All specifications are subject to change without notice.

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	6.7
EPA Greenhouse Gas Score	5

Vehicle

EPA Classification	Large Cars
--------------------	------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	MX0
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.50
Second Gear Ratio (:1)	2.90
Third Gear Ratio (:1)	1.80
Fourth Gear Ratio (:1)	1.40
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.90
Clutch Size	
Final Drive Axle Ratio (:1)	2.77

Mileage

EPA Fuel Economy Est - Hwy	30 MPG
Cruising Range - City	306.00 mi
EPA Fuel Economy Est - City	18 MPG
Fuel Economy Est-Combined	22 MPG
Cruising Range - Hwy	510.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

Engine

Engine Order Code	LFX
Engine Type	Gas/Ethanol V6
Displacement	3.6L/217
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	300 @ 6500
SAE Net Torque @ RPM	262 @ 5300

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	6
Passenger Volume	104.5 ft³
Front Head Room	39.4 in
Front Leg Room	42.3 in
Front Shoulder Room	58.7 in
Front Hip Room	56.4 in
Second Head Room	37.8 in
Second Leg Room	37.6 in
Second Shoulder Room	58.6 in
Second Hip Room	57.2 in

Exterior Dimensions

Wheelbase	110.5 in
Length, Overall	200.4 in
Width, Max w/o mirrors	72.9 in
Height, Overall	58.7 in
Track Width, Front	62.4 in
Track Width, Rear	61.5 in
Min Ground Clearance	N/A in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	18.6 ft³
--------------	----------

CHASSIS**Weight Information**

Base Curb Weight	N/A lbs
------------------	---------

Trailer

Dead Weight Hitch - Max Trailer Wt.
Dead Weight Hitch - Max Tongue Wt.
Wt Distributing Hitch - Max Trailer Wt.
Wt Distributing Hitch - Max Tongue Wt.

carbookfleetedition

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Suspension Type - Front (Cont.)	Heavy-Duty Police
Suspension Type - Rear (Cont.)	Heavy-Duty Police
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	QWM
Rear Tire Order Code	QWM
Spare Tire Order Code	RUF
Front Tire Size	P235/55R17
Rear Tire Size	P235/55R17
Spare Tire Size	P235/55R17

Wheels

Front Wheel Size	17 x -TBD- in
Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	13.3
Lock to Lock Turns (Steering)	2.4
Turning Diameter - Curb to Curb	38.0 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	17 gal
Aux Fuel Tank Capacity, Approx	N/A gal

carbookfleetedition



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition




Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/100,000 Miles
Corrosion:
3 Years/36,000 Miles
Rust-Through
6 Years/100,000 Miles
Roadside Assistance:
5 Years/100,000 Miles



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2185, current as of 01/01/2012 at 21:05 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.